



# EMERGENCY CARE PLAN

## Eden Central School District

3150 Schoolview Road  
Eden, New York 14057



Mr. Jeffrey A. Sortisio  
Superintendent  
(716) 992-3629

Mrs. Merrie Maxon  
Director of Pupil Personnel Services  
(716) 992-3645

**SEVERE SEASONAL ALLERGY TO:** \_\_\_\_\_

Student: \_\_\_\_\_ Grade: \_\_\_\_\_ DOB: \_\_\_\_\_

Asthmatic:  Yes  No (increased risk for severe reaction) Severity of reaction(s): \_\_\_\_\_

School Contact: \_\_\_\_\_ Documentation: ON FILE ATTACHED

Mother: \_\_\_\_\_ Home #: \_\_\_\_\_ Work #: \_\_\_\_\_ Cell #: \_\_\_\_\_


Father: \_\_\_\_\_ Home #: \_\_\_\_\_ Work #: \_\_\_\_\_ Cell #: \_\_\_\_\_

Emergency Contact: \_\_\_\_\_ Relationship: \_\_\_\_\_ Phone: \_\_\_\_\_

**SYMPTOMS OF AN ALLERGIC REACTION MAY INCLUDE ANY/ALL OF THESE:**

- **MOUTH** Itching & swelling of lips, tongue or mouth
- **THROAT** Itching, tightness in throat, hoarseness, cough
- **SKIN** Hives, itchy rash, swelling of face and extremities
- **STOMACH** Nausea, abdominal cramps, vomiting, diarrhea
- **LUNG** Shortness of breath, repetitive cough, wheezing
- **HEART** "Thready pulse", "passing out"

**The severity of symptoms can change quickly –  
it is important that treatment is given immediately.**



**STAFF MEMBERS INSTRUCTED:**  Classroom Teacher(s)  Special Area Teacher(s)  
 Administration  Support Staff  Transportation Staff

**TREATMENT:** Remove from allergen causing severe reaction Rinse any skin contact areas with water

Treatment should be initiated  with symptoms  without waiting for symptoms

Benadryl ordered:  Yes  No Give \_\_\_\_\_ Benadryl per provider's orders

Call school nurse. Call parent/guardian if off school grounds.

Epinephrine ordered:  Yes  No Special instructions: \_\_\_\_\_

**IF ANY SYMPTOMS ARE PRESENT OR STUDENT VERBALIZES DIFFICULTY BREATHING ("I FEEL LIKE I CAN'T BREATHE")  
AND EPINEPHRINE IS ORDERED, GIVE EPINEPHRINE IMMEDIATELY AND CALL 911.**

Preferred Hospital if transported: \_\_\_\_\_

Epinephrine provides a 20 minute response window. After epinephrine, a student may feel dizzy or have an increased heart rate. This is a normal response. Students receiving epinephrine should be transported to the hospital by ambulance. A staff member should accompany the student to the emergency room if the parent, guardian or emergency contact is not present and adequate supervision for other students is present.

**Transportation Plan:**  Medication available on bus  Medication NOT available on bus  Does not ride bus

Special instructions: \_\_\_\_\_

Written by: \_\_\_\_\_

Date: \_\_\_\_\_

Copy provided to Parent

**Parent/Guardian Signature** to share this plan with Provider and School Staff: \_\_\_\_\_